





## DEPARTMENT OF THE NAVY

BOARD FOR CORRECTION OF NAVAL RECORDS
2 NAVY ANNEX
WASHINGTON DC 20370-5100

HD:hd Docket No. 02755-11 27 October 2011



Dear Lieutenant



You requested that you be awarded an additional three years of entry grade credit for your work experience before commissioning as an officer of the Medical Service Corps.

A three-member panel of the Board for Correction of Naval Records, sitting in executive session, considered your application on 27 October 2011. Your allegations of error and injustice were reviewed in accordance with administrative regulations and procedures applicable to the proceedings of this Board. Documentary material considered by the Board consisted of your application, together with all material submitted in support thereof, your naval record and applicable statutes, regulations and policies. In addition, the Board considered the advisory opinion furnished by the Chief, Bureau of Medicine and Surgery dated 10 May 2011, a copy of which is attached.

After careful and conscientious consideration of the entire record, the Board found that the evidence submitted was insufficient to establish the existence of probable material error or injustice. In this connection, the Board substantially concurred with the comments contained in the advisory opinion. Accordingly, your application has been denied. The names and votes of the members of the panel will be furnished upon request.

It is regretted that the circumstances of your case are such that favorable action cannot be taken. You are entitled to have the Board reconsider its decision upon submission of new and material evidence or other matter not previously considered by the Board. In this regard, it is important to keep in mind that a presumption of regularity attaches to all official records. Consequently, when applying for a correction of an official naval record, the burden is on the applicant to demonstrate the existence of probable material error or injustice.

Sincerely,

W. DEAN PFE

Executive Di

Enclosure